Neuroscience Letters, 139 (1992) 293–296
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Aberdeen, J., see Belai, A., 157
Adachi, T., Inanami, O. and Sato, A., Nitric oxide (NO) is involved in increased cerebral cortical blood flow following stimulation of the nucleus basalis of Meynert in anesthetized rats, 201
Agoston, D.V., Colburn, S., Krajniak, K.G. and Waschek, J.A., Distinct regulation of vasoactive intestinal peptide (VIP) expression at mRNA and peptide levels in human neuroblastoma cells, 213
Aigouy, L., Fondras, J.-C., Pajot, J., Schoeffler, P. and Woda, A., Intrathecal midazolam versus intrathecal morphine in orofacial nociception: an experimental study in rats, 97
Aizawa, H., see Kwak, S., 114
Akiguchi, I., see Hirose, S., 61
Ali-Khan, Z., Normand, J., Alizadeh-Khiavi, K., Robitaille, Y. and Chronopoulos, S., Ubiquitin profile and amyloid enhancing factor activity in Alzheimer and 'normal' human brain extracts, 24
Alizadeh-Khiavi, K., see Ali-Khan, Z., 24
Amatsu, M., see Nishimura, S., 126
Anderson, C.R., Nadph diaphorase-positive neurons in the rat spinal cord include a sub-population of autonomic preganglionic neurons, 280
Anderson, V.E.R., see Wightman, G., 269
Anderton, B.H., see Wightman, G., 269
Araki, T., see Kato, H., 118

Bagetta, G., Nisticó, G. and Dolly, J.O., Production of seizures and brain damage in rats by α-dendrotoxin, a selective K^+ channel blocker, 34
Bandler, R., see Keay, K.A., 143
Banerjee, S.P., see Lidsky, T.I., 100
Baubichon, D., see Lallement, G., 104
Baumann, N., see Jauberteau, M.O., 161
Belai, A., Aberdeen, J. and Burnstock, G., Differential effect of immunosympathectomy on the expression of rat enteric neurotransmitters, 157
Bernardi, G., see Calabresi, P., 41
Bitner, S., see Issa, F.G., 231
Blanchet, G., see Lallement, G., 104
Bloom, F.E., see Giovannelli, L., 1
Bloom, S.R., see Foley, P., 221
Bouras, C., see Hof, P.R., 10
Bradford, H.F., see Foley, P., 221
Broccardo, M. and Improta, G., Hypothermic effect of D-Ala-deltorphin II, a selective δ opioid receptor agonist, 209
Buée, L., see Hof, P.R., 10
Burnstock, G., see Belai, A., 157

Calabresi, P., Mercuri, N.B. and Bernardi, G., Activation of quisqualate metabotropic receptors reduces glutamate and GABA-mediated synaptic potentials in the rat striatum, 41
Castañeyra-Perdomo, A., Pérez-Delgado, M.M., Montagnese, C. and Coen, C., Brainstem projections to the medial preotic area (MPA) of the rat. An immunohistochemical and retrograde transport (HRP) study, 135
Chan, J., see Lustig, H.S., 15
Charpiot, A., see Hof, P.R., 10
Chen, H., see Kurenny, D.E., 227
Chiverton, J.A., see Williams, C.A., 19
Chronopoulos, S., see Ali-Khan, Z., 24
Clavenna, A., see Manfridi, A., 69
Coen, C.W., see Castañeyra-Perdomo, A., 135
Colburn, S., see Agoston, D.V., 213
Collet, A., see Lallement, G., 104
Collingridge, G.L., see Harvey, J., 197
Corvisier, J., see Hardy, O., 178
Courtice, G.P., see Preston, E., 285
Crockett, D.P., see Maslany, S., 130

Dalsgaard, C.-J., see Xu, X.-J., 249
Davies, R.O., see Kubin, L., 243
de Aguilar, P. v.d. Bosch, see Klosen, P., 108
De Natale, G., see Desole, M.S., 29
de Paiva, A., see Poulain, B., 289
De Simoni, M.G., see Manfridi, A., 69
Delacourte, A., see Hof, P.R., 10
Denoyer, M., see Lallement, G., 104
Desole, M.S., Miele, M., Enrico, P., Fresu, L., Esposito, G., De Natale, G. and Miele, E., The effects of cortical ablation on d-amphetamine-induced changes in striatal dopamine turnover and ascorbic acid catabolism in the rat, 29
Dickenson, A.H., see Sullivan, A.F., 65
Dolly, J.O., see Bagetta, G., 34
Dolly, J.O., see Poulain, B., 289
Duron, B., see Wallois, F., 234

Egger, M.D., see Maslany, S., 130
Ekman, P., see Nordling, L., 169
Ekman, R., see Hardebo, J.E., 239
Enrico, P., see Desole, M.S., 29
Esposito, G., see Desole, M.S., 29

Foley, P., Bradford, H.F., Ghatei, M.A., Khandanian, N. and Bloom, S.R., Neuropeptide content of purified rat brain cholinergic synaptosome subpopulations, 221
Fondras, J.-C., see Aigouy, L., 97
Fresu, L., see Desole, M.S., 29
Fritzsch, B., see Manns, M., 253
Furukawa, S., see Hashimoto, Y., 45

Ghatei, M.A., see Foley, P., 221
Giardina, W.J., see Radek, R.J., 191
Gibbins, I.L., see Moriarty, M., 275
Giovannelli, L. and Bloom, F.E., c-Fos protein expression in the rat subfornical organ following osmotic stimulation, 1
Goldyne, M.E., see Sherbourne, C.D., 188
Gonzales, R., see Sherbourne, C.D., 188
Greenberg, D.A., see Lustig, H.S., 15

Hamada, T., see Shibata, S., 83
Hardebo, J.E., Suzuki, N. and Ekman, R., Presence of gastrin-releasing peptide in neurons of the geniculate ganglion in rat and man, 239
Hardy, O. and Corvisier, J., Firing behaviour of anticompensatory neurones in the prepositus hypoglossi nucleus of alert cat, 178

Harkness, D.H., see Skilling, S.R., 92
Harvey, J. and Collingridge, G.L., Thapsigargin blocks the induction of long-term potentiation in rat hippocampal slices, 197
Hashimoto, Y., Kawatsura, H., Shiga, Y., Furukawa, S. and Shigeno, T., Significance of nerve growth factor content levels after transient forebrain ischemia in gerbils, 45
Hirose, S., Ino, T., Takada, M., Kimura, J., Akiguchi, I. and Mizuno, N., Topographic projections from the subiculum to the limbic regions of the medial frontal cortex in the cat, 61
Hirota, K., see Manaka, H., 47
Hof, P.R., Charpiot, A., Delacourte, A., Buée, L., Purohit, D., Perl, D.P. and Bouras, C., Distribution of neurofibrillary tangles and senile plaques in the cerebral cortex in postencephalitic parkinsonism, 10
Hofman, M.A. and Swaab, D.F., Seasonal changes in the suprachiasmatic nucleus of man, 257
Holtsclaw, L.I., see Williams, C.A., 19
Hue, B., see Lapied, B., 165

Imai, T., see Manaka, H., 47
Improta, G., see Broccardo, M., 209
Inanami, O., see Adachi, T., 201
Ino, T., see Hirose, S., 61
Ishida, M., see Kwak, S., 114
Issa, F.G. and Bitner, S., Restructuring of sleep and reversal of REM-induced supraspinal hypotonia of respiratory muscles following bilateral phrenicotomy, 231

Jacque, C., see Jauberteau, M.O., 161
Jauberteau, M.O., Jacque, C., Preud'homme, J.L., Vallat, J.M. and Baumann, N., Human Schwann cells in culture: characterization and reactivity with human anti-sulfated glucuronyl glycolipid monoclonal IgM antibodies, 161

Kagaya, A., see Yamamoto, H., 194
Kalso, E.A., see Sullivan, A.F., 65
Kamiya, H.-o., see Takano, Y., 122
Katada, T., see Yamamoto, H., 194
Katagiri, T., see Manaka, H., 47
Kato, H., Liu, Y., Araki, T. and Kogure, K., MK-801, but not anisomycin, inhibits the induction of tolerance to ischemia in the gerbil hippocampus, 118
Kato, T., see Manaka, H., 47
Kawahara, H., see Yoshida, M., 73
Kawanami, T., see Manaka, H., 47
Kawatsura, H., see Hashimoto, Y., 45
Keay, K.A. and Bandler, R., Anatomical evidence for segregated input from the upper cervical spinal cord to functionally distinct regions of the periaqueductal gray region of the cat, 143
Khandanian, N., see Foley, P., 221
Kimura, J., see Hirose, S., 61
Klosen, P. and de Aguilar, P. v.d. Bosch, Spontaneous perikaryal neurofilament phosphorylation in the septofimbrial nucleus of the rat, 108
Kobayashi, I., see Yamamoto, H., 194
Kogure, K., see Kato, H., 118
Krajniak, K.G., see Agoston, D.V., 213
Kubin, L., Tojima, H., Davies, R.O. and Pack, A.I., Serotonergic excitatory drive to hypoglossal motoneurons in the decerebrate cat, 243
Kujirai, K., see Manaka, H., 47
Kure, S., see Tominaga, T., 265
Kurenny, D.E., Chen, H. and Smith, P.A., Effects of somatostatin on potassium currents in bullfrog sympathetic ganglion neurones: possible role of receptor subtypes, 227
Kurita, K., see Manaka, H., 47
Kusaka, H., see Manaka, H., 47
Kwak, S., Aizawa, H., Ishida, M. and Shinozaki, H., New, potent kainate derivatives: comparison of their affinity for [^{3}H]kainate and [^{3}H]AMPA binding sites, 114

Lallement, G., Denoyer, M., Collet, A., Pernot-Marino, I., Baubichon, D., Monmaur, P. and Blanchet, G., Changes in hippocampal acetylcholine and glutamate extracellular levels during soman-induced seizures: influence of septal cholinoceptive cells, 104
Lapied, B., Tribut, F. and Hue, B., Effects of McN-A-343 on insect neurosecretory cells: evidence for muscarinic-like receptor subtypes, 165
Larnicol, N., see Wallois, F., 234
Larson, A.A., see Skilling, S.R., 92
Leigh, P.N., see Wightman, G., 269
Levine, J.D., see Sherbourne, C.D., 188
Li, J.-S., see Zhang, J.-D., 224
Lidsky, T.I. and Banerjee, S.P., Clozapine's mechanisms of action: non-dopaminergic activity rather than anatomical selectivity, 100
Liedberg, H., see Nordling, L., 169
Lipton, S.A., see Zhang, D., 173
Liu, Y., see Kato, H., 118
Lloyd, G.S., see McNulty, S., 183
Lundeberg, T., see Nordling, L., 169
Lustig, H.S., Chan, J. and Greenberg, D.A., Comparative neurotoxic potential of glutamate, endothelins, and platelet-activating factor in cerebral cortical cultures, 15
Luthert, P., see Wightman, G., 269

Maggi, C.-A., see Xu, X.-J., 249
Mailleux, P., Verslijpe, M. and Vanderhaeghen, J.-J., Initial observations on the distribution of cannabinoid receptor binding sites in the human adult basal ganglia using autoradiography, 7
Manaka, H., Kato, T., Kurita, K., Katagiri, T., Shikama, Y., Kujirai, K., Kawanami, T., Suzuki, Y., Nihei, K., Sasaki, H., Yamada, S., Hirota, K., Kusaka, H. and Imai, T., Marked increase in cerebrospinal fluid ubiquitin in Creutzfeldt–Jakob disease, 47
Manfridi, A., Clavenna, A. and De Simoni, M.G., Serotonin uptake inhibition: in vivo effect of sertraline in rats, 69
Mann, D., see Wightman, G., 269
Manns, M. and Fritzsch, B., Retinoic acid affects the organization of reticulospinal neurons in developing *Xenopus*, 253
Martin, J., see Wightman, G., 269
Maslany, S., Crockett, D.P. and Egger, M.D., The cuneate nucleus in the rat *does* have an anatomically distinct middle region, 130
Matsumoto, M., see Yoshioka, M., 57
Matsumoto, M., see Yoshioka, M., 53
McCloskey, D.I., see Moriarty, M., 275
McNulty, S., Lloyd, G.S., Rumsby, R.M., Sayner, R.M. and Rumsby, M.G., Ethanolamine is released from glial cells in primary culture on stimulation with foetal calf serum and phorbol ester, 183
McQuay, H.J., see Sullivan, A.F., 65
Mercuri, N.B., see Calabresi, P., 41
Miele, E., see Desole, M.S., 29
Miele, M., see Desole, M.S., 29
Mikkelsen, J.D. and Servière, J., Demonstration of a direct projection from the retina to the hypothalamic supraoptic nucleus of the hamster, 149
Mikuni, M., see Yamamoto, H., 194

Mizoguchi, K., see Yoshida, M., 73
Mizuno, N., see Hirose, S., 61
Monmaur, P., see Lallement, G., 104
Montagnese, C., see Castañeyra-Perdomo, A., 135
Moriarty, M., Gibbins, I.L., Potter, E.K. and McCloskey, D.I., Comparison of the inhibitory roles of neuropeptide Y and galanin on cardiac vagal action in the dog, 275
Mozrzymas, J.W. and Ruzzier, F., ATP activates junctional and extrajunctional acetylcholine receptor channels in isolated adult rat muscle fibres, 217

Nakayama, Y., see Takano, Y., 122
Neary, D., see Wightman, G., 269
Nihei, K., see Manaka, H., 47
Nishikawa, T., see Yoshida, M., 73
Nishimura, S., Okada, Y. and Amatsu, M., Post-inhibitory excitation of adenosine on neurotransmission in guinea pig hippocampal slices, 126
Nisticó, G., see Bagetta, G., 34
Nordling, L., Lundeberg, T., Liedberg, H., Theodorsson, E. and Ekman, P., The contribution of epinephrine to experimentally induced urethral inflammation in the rat, 169
Normand, J., see Ali-Khan, Z., 24

Ogata, N., see Tatebayashi, H., 261
Okada, Y., see Nishimura, S., 126

Pack, A.I., see Kubin, L., 243
Pajot, J., see Aigouy, L., 97
Pérez-Delgado, M.M., see Castañeyra-Perdomo, A., 135
Perl, D.P., see Hof, P.R., 10
Pernot-Marino, I., see Lallement, G., 104
Potter, E.K., see Moriarty, M., 275
Poulain, B., de Paiva, A., Dolly, J.O., Weller, U. and Tauc, L., Differences in the temperature dependencies of uptake of botulinum and tetanus toxins in *Aplysia* neurons, 289
Preston, E. and Courtice, G.P., Vagal stimulation and somatostatin potentiate cardiac vagal action in the toad, *Bufo marinus*, 285
Preud'homme, J.L., see Jauberteau, M.O., 161
Purohit, D., see Hof, P.R., 10

Radek, R.J. and Giardina, W.J., The neuroprotective effects of dextromethorphan on guinea pig-derived hippocampal slices during hypoxia, 191
Rainnie, D.G. and Shinnick-Gallagher, P., *Trans*-ACPD and L-APB presynaptically inhibit excitatory glutamatergic transmission in the basolateral amygdala (BLA), 87
Raso, D.S., The changing axonal distribution in white muscle of the developing catfish, *Ictalurus nebulosus* (Lesueur), 50
Robitaille, Y., see Ali-Khan, Z., 24
Rose, D., see Wallois, F., 234
Rumsby, M.G., see McNulty, S., 183
Rumsby, R.M., see McNulty, S., 183
Ruzzier, F., see Mozrzymas, J.W., 217

Sacaan, A.I. and Schoepp, D.D., Activation of hippocampal metabotropic excitatory amino acid receptors leads to seizures and neuronal damage, 77
Saito, H., see Yoshioka, M., 53
Saito, H., see Yoshioka, M., 57
Saito, R., see Takano, Y., 122
Sasaki, H., see Manaka, H., 47
Sato, A., see Adachi, T., 201
Sayner, R.M., see McNulty, S., 183
Schoeffler, P., see Aigouy, L., 97
Schoepp, D.D., see Sacaan, A.I., 77
Servière, J., see Mikkelsen, J.D., 149
Sherbourne, C.D., Gonzales, R., Goldyne, M.E. and Levine, J.D., Norepinephrine-induced increase in sympathetic neuron-derived prostaglandins is independent of neuronal release mechanisms, 188
Shibata, S., Tominaga, K., Hamada, T. and Watanabe, S., Excitatory effect of *N*-methyl-D-aspartate and kainate receptor on the 2-deoxyglucose uptake in the rat suprachiasmatic nucleus in vitro, 83
Shiga, Y., see Hashimoto, Y., 45
Shigeno, T., see Hashimoto, Y., 45
Shikama, Y., see Manaka, H., 47
Shinnick-Gallagher, P., see Rainnie, D.G., 87
Shinozaki, H., see Kwak, S., 114
Skilling, S.R., Harkness, D.H. and Larson, A.A., Experimental peripheral neuropathy decreases the dose of substance P required to increase excitatory amino acid release in the CSF of the rat spinal cord, 92
Smith, C.B., see Yoshioka, M., 53
Smith, C.B., see Yoshioka, M., 57
Smith, P.A., see Kurenny, D.E., 227
Sullivan, A.F., Kalso, E.A., McQuay, H.J. and Dickenson, A.H., Evidence for the involvement of the μ but not δ opioid receptor subtype in the synergistic interaction between opioid and α_2 adrenergic antinociception in the rat spinal cord, 65
Suzuki, N., see Hardebo, J.E., 239
Suzuki, Y., see Manaka, H., 47
Swaab, D.F., see Hofman, M.A., 257
Swash, M., see Wightman, G., 269

Taguchi, T., see Yamamoto, T., 205
Takada, M., The lateroposterior thalamic nucleus and substantia nigra pars lateralis: origin of dual innervation over the visual system and basal ganglia, 153
Takada, M., see Hirose, S., 61
Takahashi, K., see Yamamoto, H., 194
Takano, Y., Nakayama, Y., Tateishi, K., Saito, R. and Kamiya, H.-o., Role of NK-1 receptor in central cardiovascular regulation in rats: studies on a novel non-peptide antagonist, CP-96,345, of substance P NK-1 receptor, 122
Tanaka, M., see Yoshida, M., 73
Tatebayashi, H. and Ogata, N., The mechanism of $GABA_B$-mediated slowing of the activation phase of high voltage-activated Ca^{2+} channels in rat sensory neurons, 261
Tateishi, K., see Takano, Y., 122
Tauc, L., see Poulain, B., 289
Theodorsson, E., see Nordling, L., 169
Togashi, H., see Yoshioka, M., 57
Togashi, H., see Yoshioka, M., 53
Tojima, H., see Kubin, L., 243
Tominaga, K., see Shibata, S., 83
Tominaga, T., Kure, S. and Yoshimoto, T., DNA fragmentation in focal cortical freeze injury of rats, 265
Tomita, U., see Yamamoto, H., 194
Tribut, F., see Lapied, B., 165
Tsuda, A., see Yoshida, M., 73

Ui, M., see Yamamoto, H., 194

Vallat, J.M., see Jauberteau, M.O., 161

Vanderhaeghen, J.-J., see Mailleux, P., 7
Verslijpe, M., see Mailleux, P., 7

Wallois, F., Larnicol, N., Rose, D. and Duron, B., A comparative HRP study of the neuronal supply to the inferior and superior nasal meatus in the cat, 234
Wang, B.-R., see Zhang, J.-D., 224
Wang, L., see Zhang, J.-D., 224
Waschek, J.A., see Agoston, D.V., 213
Watanabe, S., see Shibata, S., 83
Weller, U., see Poulain, B., 289
Wiesenfeld-Hallin, Z., see Xu, X.-J., 249
Wightman, G., Anderson, V.E.R., Martin, J., Swash, M., Anderton, B.H., Neary, D., Mann, D., Luthert, P. and Leigh, P.N., Hippocampal and neocortical ubiquitin-immunoreactive inclusions in amyotrophic lateral sclerosis with dementia, 269
Williams, C.A., Holtsclaw, L.I. and Chiverton, J.A., Release of immunoreactive enkephalinergic substances in the periaqueductal grey of the cat during fatiguing isometric contractions, 19
Woda, A., see Aigouy, L., 97

Xu, X.-J., Dalsgaard, C.-J., Maggi, C.-A. and Wiesenfeld-Hallin, Z., NK-1, but not NK-2, tachykinin receptors mediate plasma extravasation induced by antidromic C-fiber stimulation in rat hindpaw: demonstrated with the NK-1 antagonist CP-96,345 and the NK-2 antagonist Men 10207, 249

Yamada, S., see Manaka, H., 47
Yamamoto, H., Tomita, U., Mikuni, M., Kobayashi, I., Kagaya, A., Katada, T., Ui, M. and Takahashi, K., Direct activation of purified G_o-type GTP binding protein by tricyclic antidepressants, 194
Yamamoto, T. and Taguchi, T., A muscle-derived factor antagonizes the neurotoxicity of glutamate in dissociated cell cultures of chick telencephalic neurons, 205
Yokoo, H., see Yoshida, M., 73
Yoshida, M., Yokoo, H., Mizoguchi, K., Kawahara, H., Tsuda, A., Nishikawa, T. and Tanaka, M., Eating and drinking cause increased dopamine release in the nucleus accumbens and ventral tegmental area in the rat: measurement by in vivo microdialysis, 73
Yoshimoto, T., see Tominaga, T., 265
Yoshioka, M., Matsumoto, M., Togashi, H., Smith, C.B. and Saito, H., Effect of clonidine on the release of serotonin from the rat hippocampus as measured by microdialysis, 57
Yoshioka, M., Matsumoto, M., Togashi, H., Smith, C.B. and Saito, H., α_2-Adrenoceptor modulation of 5-HT biosynthesis in the rat brain, 53

Zhang, D. and Lipton, S.A., L-Homocysteic acid selectively activates *N*-methyl-D-aspartate receptors of rat retinal ganglion cells, 173
Zhang, J.-D., Wang, L., Wang, B.-R. and Li, J.-S., Mesencephalic trigeminal nucleus neurons with collaterals to both the masseter and the inferior alveolar nerves. A fluorescent double-labeling study in the rat, 224

CONTENTS *(continued from the back cover)*

Restructuring of sleep and reversal of REM-induced supraspinal hypotonia of respiratory muscles following bilateral phrenicotomy
F.G. Issa and S. Bitner (Canada) 231
A comparative HRP study of the neuronal supply to the inferior and superior nasal meatus in the cat
F. Wallois, N. Larnicol, D. Rose and B. Duron (France) 234
Presence of gastrin-releasing peptide in neurons of the geniculate ganglion in rat and man
J.E. Hardebo, N. Suzuki and R. Ekman (Sweden) 239
Serotonergic excitatory drive to hypoglossal motoneurons in the decerebrate cat
L. Kubin, H. Tojima, R.O. Davies and A.I. Pack (USA) 243
NK-1, but not NK-2, tachykinin receptors mediate plasma extravasation induced by antidromic C-fiber stimulation in rat hindpaw: demonstrated with the NK-1 antagonist CP-96,345 and the NK-2 antagonist Men 10207
X.-J. Xu, C.-J. Dalsgaard, C.-A. Maggi and Z. Wiesenfeld-Hallin (Sweden, Italy) 249
Retinoic acid affects the organization of reticulospinal neurons in developing *Xenopus*
M. Manns and B. Fritzsch (USA) 253
Seasonal changes in the suprachiasmatic nucleus of man
M.A. Hofman and D.F. Swaab (Netherlands) 257
The mechanism of $GABA_B$-mediated slowing of the activation phase of high voltage-activated Ca^{2+} channels in rat sensory neurons
H. Tatebayashi and N. Ogata (Japan) 261
DNA fragmentation in focal cortical freeze injury of rats
T. Tominaga, S. Kure and T. Yoshimoto (Japan) 265
Hippocampal and neocortical ubiquitin-immunoreactive inclusions in amyotrophic lateral sclerosis with dementia
G. Wightman, V.E.R. Anderson, J. Martin, M. Swash, B.H. Anderton, D. Neary, D. Mann, P. Luthert and P.N. Leigh (UK) 269
Comparison of the inhibitory roles of neuropeptide Y and galanin on cardiac vagal action in the dog
M. Moriarty, I.L. Gibbins, E.K. Potter and D.I. McCloskey (Australia) 275
Nadph diaphorase-positive neurons in the rat spinal cord include a sub-population of autonomic preganglionic neurons
C.R. Anderson (Australia) 280
Vagal stimulation and somatostatin potentiate cardiac vagal action in the toad, *Bufo marinus*
E. Preston and G.P. Courtice (Australia) 285
Differences in the temperature dependencies of uptake of botulinum and tetanus toxins in *Aplysia* neurons
B. Poulain, A. de Paiva, J.O. Dolly, U. Weller and L. Tauc (France, UK, FRG) 289

Author Index 293